

721 Cortaro Dr. Sun City Center, FL 33573 www.acslabcannabis.com **DEA No.** RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

25mg THC Liquid Gummy (15mL) Sample Matrix: CBD/HEMP **Derivative Products** (Ingestion)



Certificate of Analysis

Compliance Test

Client Information:

Batch # 002 Leafy8 **Batch Date:** 2023-07-25

368 Wilshire Blvd. Casselberry, Florida 32707

Order # LEA230804-080001 Order Date: 2023-08-04 Sample # AAET104

Initial Gross Weight: 34.238 g

Test Reg State: Florida

Production Facility: Leafy8 Production Date: 2023-07-25

Number of Units:

Net Weight per Unit: 15.000 g





Extracted From: N/A

Product I mage

*	Delta 8/Delta 1 Specimen Weight:	0 Potency 13 - (LCUV)		SOD12 (Tested
	opcomien weight.		LOO	Result	30F13.0	132 (LCUV)
Analyte		LOD (%)	(%)	(mg/g)	(%)	
Delta-8 THC		2.60E-5	0.015	1.550	0.155	
Delta-9 THC		1.30E-5	0.015	0.930	0.093	
CBC		1.80E-5	0.015	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBD		5.40E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBDA		1.00E-5	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBDV		6.50E-5	0.015	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBG		2.48E-4	0.015	<l0q< td=""><td><l0q< td=""><td></td></l0q<></td></l0q<>	<l0q< td=""><td></td></l0q<>	
CBGA		8.00E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
CBN		1.40E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Delta-10 THC		3.00E-6	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Delta6a10a-THC		8.47E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
THCA-A		3.20E-5	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
THCV		7.00E-6	0.015	<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Total Active CBD				<l0q< td=""><td><loq< td=""><td></td></loq<></td></l0q<>	<loq< td=""><td></td></loq<>	
Total Active THC				0.930	0.093	

♦ Potency Summary						
Total Delta 8 0.155% 23.250mg	Total Delta 10 None Detected					
Total Active THC 0.093% 13.950mg	Total Active CBD None Detected					
Total CBG None Detected	Total CBN None Detected					
Other Cannabinoids 0%	Total Cannabinoids 0.248% 37.200mg					

Lab Director/Principal Scientist Aixia Sun



-VAHCA

D.H.Sc., M.Sc., B.Sc., MT (AAB)





Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBC + CBTA = THC + Total CBC + Total THC + Total THC + Total THC + Total CBC + Total THC - O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, (pg/s) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (pg/g), (au) = Water Activity, (mg/kg) = Milligram per Kilogram, ACs se simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5k-4.034, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5k-4.036, 5k-4.034. This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.